



Load rating AK 46/6000 full-ahy
TGM 26-XXX / MB 25XX

Outrigger position:
3/3-3/3

Radius [m]	Main Boom 10m TeLl. 0.0m 0%					Main Boom 13.6m TeLl. 1.4m 20%					Main Boom 17.7m TeLl. 2.7m 40%					Main Boom 21.7m TeLl. 4.1m 60%					Main Boom 25.6m TeLl. 5.4m 80%					Main Boom 30m TeLl. 6.8m 100%								
	Jib Boom Status (RC+RB)					Jib Boom Status (RC+RB)					Jib Boom Status (RC+RB)					Jib Boom Status (RC+RB)					Jib Boom Status (RC+RB)					Jib Boom Status (RC+RB)								
	0°	30°	60°	90°	120°	150°	180°	0°	30°	60°	90°	120°	150°	180°	0°	30°	60°	90°	120°	150°	180°	0°	30°	60°	90°	120°	150°	180°	0°	30°	60°	90°	120°	150°
5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
6	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
7	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
8	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
9	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
10																																		
11																																		
12																																		
13																																		
14																																		
15																																		
16																																		
17																																		
18																																		
19																																		
20																																		
21																																		
22																																		
23																																		
24																																		
25																																		
26																																		
27																																		
28																																		
29																																		
30																																		
31																																		
32																																		
33																																		
34																																		
35																																		
36																																		
37																																		
38																																		
39																																		
40																																		

